

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (route\$3 or forward\$3 or send\$3 or transmit\$3) same (packets) or frame or data) same (peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:55
		(mobile adj station) same (assign\$3) same ("IP address" or (network adj address)) same (node or device or endpoint or (compute\$3 adj (device or node or endpoint))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:17
		S40 same (mobile adj (station or phone or node)) same	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:04
L1	12826	709/201,202,227.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 12:28
L2	534	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:29
L3	1	10/761849	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:29

L4	14	I2 and I1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:34
L5	23	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:42
L6	8	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (assign\$3) same "IP address"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:42
L7	0	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same "ip message"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:44
L8	534	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:44
L9	1749	(assign\$3) same ("IP address") same (device or node or endpoint or computer) same (mobile adj (station or phone or node or endpoint or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:46
L10	51	I9 and I1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:46

L11	43	jain.in. and yang.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:46
L12	2	nokia.as. and l11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:46
L16	1	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (route\$3 or forward\$3 or send\$3 or transmit\$3) same (packets) same (peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:55
L17	2	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (route\$3 or forward\$3 or send\$3 or transmit\$3) same (packets or frame or data) same (peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 12:55
L18	4	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (packets or frame or data) same (peer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 13:29
L19	21	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (terminat\$3 or end\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 13:29

L20	6	(device or endpoint or node) same ((cellular or mobile) adj (phone or device or node or endpoint)) same dial\$up same (connection) same (terminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 13:30
S1	2	("6192041" "6230024"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/24 16:27
S2	1	10/744670	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/24 16:31
S3	1	10/761849	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 13:22
S4	25346	((mobile or cellular) adj (phone or device or station)) same (endpoint or (computing adj device) or computer or node) same (establish\$3 or connect\$4) saem ("IP connection")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:00
S5	131	((mobile or cellular) adj (phone or device or station)) same (endpoint or (computing adj device) or computer or node) same (establish\$3 or connect\$4) same ("IP connection")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:00
S6	6210	709/227,228.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:01
S7	3	S6 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:01
S8	1	"20010024951"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:04
S9	2	"20040128310"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:04

S10	3	"6862276"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:04
S11	1	(terminat\$3) adj (dial \$up) adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:07
S12	32	(terminat\$3) adj (dial \$up) adj connection	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/04/26 14:07
S13	60	((mobile or cellular) adj (phone or station)) same (connection) same (device or computer or endpoint or node) same (assign\$3) same ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/05/09 13:36
S14	1	"20020165967"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/05/09 14:04
S15	3	2003/0061206	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/05/09 14:13
S16	1	"20030061206"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/05/09 14:14
S17	1	10/761849	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 14:50
S18	0	("IP connection") same ((mobile or cellular) adj (station or phone)) same (device or laptop or computer) same (terminat\$3 or end\$3) same (command)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 15:34
S19	81	("IP connection") same ((mobile or cellular) adj (station or phone)) same (device or laptop or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 15:34

S20	1	("IP connection") same ((mobile or cellular) adj (station or phone)) same (device or laptop or computer) same (assign\$3) same ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 15:35
S21	35	(wireless adj interface) same (assign\$3) same ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 15:39
S22	4	(wireless adj interface) same (assign\$3) same ("IP address") same ((mobile or cellular) adj (station or phone)) same (device or laptop or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 15:39
S23	230	((mobile or cellular) adj (station or phone)) same (device or laptop or computer) same ("IP session" or "IP connection" or connection) same ("IP address" or "IP addresses")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/04 15:43
S24	44	((mobile or cellular) adj (station or phone)) same (device or laptop or computer) same ("IP session" or "IP connection" or connection) same ("IP address" or "IP addresses") same (assign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 09:59
S25	3	(configur\$3) same ("IP protocol") same (stack) same ((mobile or cellular) adj (station or phone))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 10:03
S26	1	"6,230,024".pn.	USPAT	OR	OFF	2008/06/05 11:42
S27	132	(terminat\$3 or end\$3) same ("IP connection") same (signal or command)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 11:45

S28	7	(terminat\$3 or end\$3) same ("IP connection") same (signal or command) same ((mobile or cellular) adj (phone or station))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 11:46
S29	8	(terminat\$3 or end\$3) same ("IP connection" or "IP session") same (signal or command) same ((mobile or cellular) adj (phone or station))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 11:48
S30	1	"20030212822"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 18:27
S31	1	10/761849	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 18:51
S32	9	"6230024"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 19:00
S33	1	"6230024".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/05 19:00
S34	15	("IP connection") same (mobile adj station) same (computer or node or device or endpoint or laptop) same ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 06:29
S35	2	("IP connection") same (mobile adj station) same (computer or node or device or endpoint or laptop) same (assign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 06:59
S36	61	("IP connection") same (mobile adj station) same (computer or node or device or endpoint or laptop)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:00
S37	0	("IP connection") same (mobile adj station) same (computer or node or device or endpoint or laptop) same (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:00

S38	18	("IP connection") same (mobile adj station) same (computer or node or device or endpoint or laptop) and (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:00
S39	0	("IP connection") same (mobile adj station) same (computer or node or device or endpoint or laptop) same ("AT command")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:03
S40	414	("AT command")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:03
S41	0	S40 same (mobile adj (station or phone or node)) same ("IP connection")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:03
S42	1	S40 same (mobile adj (station or phone or node))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:04
S43	7	"AT+ CRM"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:04
S44	499	(terminat\$3) same (dial \$up) same (connection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:10
S45	3	S44 same ("IP connection")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:11
S46	6	S44 same (mobile adj (phone or node or device))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:11
S47	34	(mobile adj (node or station or phone)) same (device or endpoint or computer) same ("TCP/ IP connection")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:50
S48	47	(receiv\$3 or get\$4) same ("IP message") same (mobile adj (station or node or phone or endpoint)) same (computer or laptop or endpoint or node)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:53

S49	14	S48 same ("IP address")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/20 07:53
S50	1	10/761849	US-PGPUB; USPAT	OR	OFF	2009/02/11 09:45
S51	226	(mobile adj station) same (assign\$3) same ("IP address" or (network adj address)) same (node or device or endpoint or (comput\$3 adj (device or node or endpoint)))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:17
S52	2	S51 same ("IP connection")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:18
S53	1	"6768726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:20
S54	9	(mobile adj station) same (assign\$3) same ("IP address" or (network adj address)) same (node or device or endpoint or (comput\$3 adj (device or node or endpoint))) same (itself)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:22
S55	1	10/761849	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:24
S56	30	(assign\$3) same ("IP address" or (network adj address)) same (itself) same (mobile adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:26
S57	0	((assign\$3) adj ("IP address" or (network adj address)) adj (mobile adj station)) same (itself)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:47
S58	48	((assign\$3) adj ("IP address" or (network adj address)) adj (mobile adj station))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:47
S59	15	((assign\$3) adj ("IP address" or (network adj address)) adj itself)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2009/07/17 11:49

S60	0	("IP protocol stack") same (mobile adj station) same (configur \$3) same (itself)	USPAT	OR	ON	2009/07/17 12:04
S61	0	("IP protocol stack") same (mobile adj station) same (configur \$3) same (itself)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 12:04
S62	2	("IP protocol stack") same (mobile adj station) same (configur \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 12:04
S63	25	(assign\$3) same (own) same ("IP address") same (mobile adj station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 12:06
S64	2	(assign\$3) same (own) same ("IP address") same (mobile adj station) same itself	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 12:08
S65	4	((mobile adj station)) same (device or node or endpoint or phone) same ("IP connection") same (infrared or USB or bluetooth)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:21
S66	6	10/154138	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:22
S67	29	((mobile or cellular) adj (station or phone)) same ("IP connection" or "IP session") same (device or node or endpoint or phone) same (infrared or USB or bluetooth)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:23
S68	4	((mobile or cellular) adj (station)) same ("IP connection" or "IP session") same (device or node or endpoint or phone) same (infrared or USB or bluetooth)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:26

S69	15	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (client or device or node or endpoint or computer) same (TCP/ IP) same (connection) same (bluetooth or USB) same ("IP address" or (network adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:33
S70	7	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (client or device or node or endpoint or computer) same (TCP/ IP) same (connection) same (assign\$3) same ("IP address" or (network adj address)) same (itself or self)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:52
S71	1	"5983090".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/08 21:53
S72	3	("6400730" "5655140" "6760776").pn.	USPAT	OR	OFF	2010/03/09 06:12
S73	9	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (client or device or node or endpoint or computer) same ("IP connection" or "IP session") same (bluetooth or USB) same ("IP address" or (network adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:03
S74	46	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (client or device or node or endpoint or computer) same ("IP connection" or "IP session") same (bluetooth or USB)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:12

S75	337	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (client or device or node or endpoint or computer) same ((network adj address) or ("IP address")) same (bluetooth or USB)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:13
S76	7	S75 and 709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:13
S77	45	S75 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:13
S78	23275	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (client or device or node or endpoint or computer) same (communicat\$3 or connect\$3) same (bluetooth or USB)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:33
S79	13549	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (computer) same (communicat\$3 or connect\$3) same (bluetooth or USB)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:34
S80	18	((mobile or cellular) adj (phone or telephone or node or device or endpoint)) or "PDA") same (computer) same (communicat\$3 or connect\$3) same (bluetooth or USB) same ("IP address" or (network adj address)) same (assign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:34
S81	1	10/761849	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:40

S82	166	(mobile adj (phone or terminal or node or endpoint)) same (assign \$3) same ("IP address") same (computer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:41
S83	4	S82 and 709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:41
S84	9	(mobile adj (phone or terminal or node or endpoint)) same (assign \$3) same ("IP address") same (computer) same (itself or self)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 20:43
S85	9	(mobile adj (phone or terminal or node or endpoint)) same (assign \$3) same ("IP address" or (network adj address)) same (computer) same (itself or self)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 21:14
S86	13	(mobile adj (phone or terminal or node or endpoint)) same (assign \$3 or allocat\$3) same ("IP address" or (network adj address)) same (computer) same (itself or self)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2010/03/09 21:18

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	10	jain.in. and yang.in.	USPAT; UPAD	OR	ON	2010/09/23 12:53
L14	0	113 and nokia.as.	USPAT; UPAD	OR	ON	2010/09/23 12:53
L15	8073	709/201,202,227.ccls.	USPAT; UPAD	OR	ON	2010/09/23 12:53

9/ 23/ 2010 2:38:09 PM

H:\Workspaces\10761849.wsp